




# CRITICAL PERIOD MANAGEMENT PLAN

## SAN ANTONIO POOL STAGE REDUCTIONS

These permit reductions only apply to the EAA jurisdictional boundary that encompasses Atascosa, Bexar, Caldwell, Comal, Guadalupe, Hays and Medina counties.



Stage	J-17 Index Well Level: (ft.amsl)	Comal Springflow: (cfs)	San Marcos Springflow: (cfs)	Water Reduction %
Stable	660 or above	225 or above	96 or above	0%
Stage 1	Less than 660	Less than 225	Less than 96	20%
Stage 2	Less than 650	Less than 200	Less than 80	30%
Stage 3	Less than 640	Less than 150	N/A	35%
Stage 4	Less than 630	Less than 100	N/A	40%
Stage 5	Less than 625	Less than 45/40*	N/A	44%

Please note: \*Stage 5 Comal Springs springflow - to enter this stage based on the springflow, the reading must be less than 45 cfs on a ten-day rolling average, or less than 40 cfs based on a three-day rolling average. To leave this stage, the ten-day rolling average must be 45 cfs or greater.

For more information or questions, please call the EAA Critical Period Team at 866.931.3239 or email us at [info@edwardsaquifer.org](mailto:info@edwardsaquifer.org)

ft. amsl = feet above mean sea level | (cfs) = cubic feet per second