




CRITICAL PERIOD MANAGEMENT PLAN

SAN ANTONIO POOL STAGE REDUCTIONS

These permit reductions only apply to the EAA jurisdictional boundary that encompasses Atascosa, Bexar, Caldwell, Comal, Guadalupe, Hays and Medina counties.



Stage	J-17 Index Well Level: (ft.amsl)	Comal Springflow: (cfs)	San Marcos Springflow: (cfs)	Water Reduction %
Stable	660 or above	225 or above	96 or above	0%
Stage 1	Less than 660	Less than 225	Less than 96	20%
Stage 2	Less than 650	Less than 200	Less than 80	30%
Stage 3	Less than 640	Less than 150	N/A	35%
Stage 4	Less than 630	Less than 100	N/A	40%
Stage 5	Less than 625	Less than 45/40*	N/A	44%

Please note: *Stage 5 | Comal Springs springflow: to enter this stage based on the springflow, the reading must be less than 45 cfs on a ten-day rolling average, or less than 40 cfs based on a three-day rolling average. To leave this stage, the ten-day rolling average must be 45 cfs or greater.

For more information or questions, please call the EAA Critical Period Team at 210.477.1883 or 866.931.3239 or email us at info@edwardsaquifer.org.

ft. amsl: feet above mean sea level | (cfs): cubic feet per second